

Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate double-sided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray



Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.



Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS


	P C311W		M C251FW
GENERAL			
Configuration		Desktop	
echnology		Laser	
Varm-up time		20 seconds	
irst copy speed: B/W		9.4 seconds	
irst copy speed: full colour		9.8 seconds	
continuous output speed		25 ppm 256 MB	
lemory: standard lemory: maximum		256 MB	
PDF capacity (M C251FW)	50 sheets	230 IVID	
outy cycle	JU SHEELS	65,000	-
Ouplex		Yes	
Veight	25 kg		30 kg
limensions: W x D x H	400 x 450 x 334 mm		420 x 493 x 473 mm
ower source		220 - 240 V, 50 - 60 Hz	
OPIER (M C251FW)			
lultiple copying	Up to 99 copies		-
'oom	From 25% to 400% in 1% steps		-
O card copy	Yes		-
RINTER			
rinting process	Laser bean	n scanning, electro-photograp	nic printing
Printer language: standard	F	PCL5c, PCL6, PostScript® 3™	
rint resolution		2,400 x 600 dpi	
ont	Stand	ard: PCL (80 fonts), PS3 (80	fonts)
letwork interface: standard	Ethernet 10 base-T/100 b	pase-TX, Wireless LAN (IEEE	802.11 a/b/g/n), USB 2.0
Nobile printing capability		Apple AirPrint, Mopria®	
Vindows® environments		Windows® 8.1	
		Windows® 10	
		Windows® Server 2012 Windows® Server 2012R2	
		Windows® Server 2016	
		Windows® Server 2019	
Mac OS environments		Macintosh OS X v10.10 - v11	
Other supported environments		Linux environment	
CANNER (M C251FW)			
Scanning: B/W	21 ipm		-
Scanning: full colour	12 ipm		-
Resolution: maximum	1,200 dpi		-
Resolution: standard Bundled drivers	600 dpi Network TWAIN		-
can modes	E-mail,Folder,USB		- -
AX (M C251FW)			
ircuit	PSTN		_
compatibility	ITU-T(T.37) Internet-Fax		-
ransmission speed	3 seconds		-
lodem speed: maximum	33.6 Kbps		-
nternet fax AN fax	Standard Standard		- -
AN TAX PAPER HANDLING	Standard		-
ecommended paper size		A4, A5, A6, B4, B5	
aper input: standard		250 sheets	
aper input: standard		1 sheets	
aper input: maximum		751 sheets	
aper output: standard		150 sheets	
		Trays60 - 163 g/m²	
Paper weight		Optional tray(s)60 - 105 g/m²	
Paper weight			
aper weight		Bypass60 - 163 g/m²	
aper weight		Bypass60 - 163 g/m² Duplex60 - 90 g/m²	
COLOGY Tower consumption: operation	B&W: 412 W, Full colour: 450 W		B&W: 422 W, Full colour: 444 W
COLOGY			B&W: 422 W, Full colour: 444 W 0.31 kWh/week

1x 500-sheet paper tray

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

P C311W M C251FW









COMMISSION REGULATION (EU) 2019/2020. The light source of this product is not intended for applications other than image printing.

Ricoh Europe (Netherlands) B.V.

"Nieuw Kronenburg" Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands



+31 (0)20 5774111



icoh-europe.com

